


CONSTRUCTION DETAIL & COMMON DROP HEIGHTS FOR: 140 N-LINE Fascia Panel with Metal Roof or Metal Tiles



Roof Pitch (Degrees)	Drop Heights (mm)—Dimension "A" (See notes at bottom of table)					Toe Cut (mm) Dimension "C"
	Soffit Width (mm) - Dimension "B"					
	300	450	600	750	900	
10.0	53	79	105	132	158	89
12.5	67	100	133	166	200	90
15.0	81	121	161	201	242	90
17.5	95	142	190	237	284	91
20.0	109	164	219	273	328	92
22.5	124	186	248	310	372	92
25.0	139	209	279	348	418	93
27.5	154	232	310	388	466	93
30.0	169	256	342	429	516	94
35.0	202	307	412	517	621	94
40.0	237*	363*	489*	615*	741*	94*
45.0	277*	427*	577*	727*	877*	94*

Drop Height "A" is calculated assuming the following constants:

Soffit clearance = 10mm ; Roof clearance = 10mm ; Rafter height = 90mm ; Purlin/Batten height = 45mm

* Roof pitch over 35 degrees may require a horizontal fascia return and boxed soffit at gable corners.

NOTE: For different roof pitch's and soffit widths, visit our online drop height calculator at:

www.continuous.co.nz/fascia-panel/truss-series/140-N-Line